

# FREE-FORM PROGRESSIVE LENS AVAILABILITY

MFR.	BRAND	1.50	1.50 PHOTOCHROMIC	1.50 POLARIZED	1.53 (TRIVEX®)	1.56	1.586 (POLY)	1.586 POLY PHOTOCHROMIC	1.60 PHOTOCHROMIC	1.60	1.67	1.67 PHOTOCHROMIC	1.70	1.74
CARL ZEISS VISION	AO Easy HD	X	X	X			X, Z	X			@	@		
	SOLAOne™ HD	X	X	X			X, Z	X			@	@		
	SOLA HDV	X	X	X			X, Z	X			@	@		
	Compact ULTRA™ HD	X	X	X			X, Z	X			@	@		
	Zeiss GT2™ 3D	X	X	X			X	X	X		X	X		
	Zeiss GT2™ 3D Short	X	X	X			X	X	X		X	X		
	Zeiss GT2™ 3DV	X	X	X			X	X	X		X	X		
	Zeiss Individual™	@	@	X			@	@	@		@	@		
ESSILOR	Accolade Freedom™	@	@	X	X, P		@, Z	@	X	@	@	@		@
	DEFINITY®	X	X	X	X, P		X, P	X	X		X	X		
	DEFINITY Short™	X	X	X	X		X	X	X		X	X		
	Ideal	X	X	X			X, Z	X			X	X		
	Ideal Advanced	X	X	X			X, Z	X			X	X		
	Ideal Short	X	X	X			X, Z	X			X	X		
	Varilux Comfort 360°™	@	@	@			@, Z	@	@	@	@	@		X
	Varilux Ellipse 360°™	@	@				@, Z	@	@	@	@	@		@
	Varilux® Ipseo® IV	@	@				@	@			@	@		@
	Varilux Physio 360°®	@	@	@			@, Z	@	@	@	@	@		@
	Varilux Physio Enhanced	X	X	X	X, P	X, Z	X	X	X	X	X	X	X	X, P
	Varilux Physio Short 360°®						@	@			@	@		
Varilux Sport™						@, Z								
HOYALUX	HOYALUX® iD™		@		@				@	@	@	@	@	
	HOYALUX iD Lifestyle™	X	X		X		X		X	X	X	X		
	HOYALUX iD Lifestyle CD™	X	X		X		X		X	X	X	X		
	HOYALUX Summit™ ecp iQ	X	X	X	X, P, Z		X, Z	X	X	X	X	X	X	
ILT	Architect (Pro Fit Optix)										@			
	Bravo (Pro Fit Optix)	X	@	X					X	@	X	@		
	Calligraphy (Pro Fit Optix)	X	X	X					X	@	X	@		
	Kidz (Pro Fit Optix)		@							@	@	@		
INDO	EyeMADE®	X (1.523)							X		X			
	LifeMADE Inicia® (1)	X	X	X	X		X	X	X	X	X	X		
	LifeMADE Expert® (1)	X	X	X	X		X	X	X	X	X	X		
	LifeMADE Drive® (1)	X		X	X		X, Z		X, Z	X	X, Z			
	LifeMADE Work® (1)	X			X		X		X		X			
	LifeMADE Golf, Trekking, Shooting®(1)	X	X	X	X		X	X	X	X	X	X		

X - INDICATES AVAILABILITY  
C - INDICATES CLEAR

P - INDICATES PHOTOCHROMIC  
Z - INDICATES POLARIZED

@ - ONLY AVAILABLE WITH FACTORY ANTI-REFLECTIVE LENS TREATMENT  
(1) DISTRIBUTED BY DIGITAL EYELAB

MFR.	BRAND	1.50	1.50 PHOTOCHROMIC	1.50 POLARIZED	1.53 (TRIVEX®)	1.56	1.586 (POLY)	1.586 POLY PHOTOCHROMIC	1.60 PHOTOCHROMIC	1.60	1.67	1.67 PHOTOCHROMIC	1.70	1.74
INDO (CONTINUED)	LifeMADE Metrics Inicia (1)	X	X	X	X		X	X	X	X	X	X		
	LifeMADE Metrics Expert (1)	X	X	X	X		X	X	X	X	X	X		
KAENON POLARIZED	SR-91® Freestyle™ Progressive					X, SR-91								
OPHTHONIX	iZon® ML™ High Resolution Progressives								@					
	iZon® SL™ High Resolution Progressives						X	X	@	@				
OPTIX	Identity Standard, Outdoor (Pro Fit Optix)	@	@	@	@	@	@	@	@	@	@	@	@	@
	Identity Office, Office Plus (Pro Fit Optix)	@	@	@	@	@	@	@	@	@	@	@	@	@
PRO FIT OPTIX	Acuity (Private Label)	X	X					X	X		X			
RODENSTOCK	Multigraviss MyView (Pro Fit Optix)	X	X						X	X	X			X
	Impression® (Pro Fit Optix)	X	X						X	X	X		X	
	Impression XS (Pro Fit Optix)	X	X						X	X	X		X	
	Impression Sport (Fashion Curve/Wrap) (Pro Fit Optix)								X					
	Impression 40 (Pro Fit Optix)	X	X											
	Impression 80 (Pro Fit Optix)	X	X											
	Impression Mono (Single Vision) (Pro Fit Optix)	X							X	X	X	X		
	Impression Hyperop (Pro Fit Optix)								X	X	X	X		
	Impression Hyperop XS (Pro Fit Optix)								X	X	X	X		
	Impression Myope (Pro Fit Optix)								X	X	X	X		
Impression Myope XS (Pro Fit Optix)								X	X	X	X			
SEIKO/PENTAX	SEIKO Succeed Internal Free-Form™	X	X	X	X, P		X, Z	X	X	X	X, Z	X		X
	SEIKO Succeed Ws Internal Free-Form	X	X	X	X, P		X, Z	X	X	X	X, Z	X		X
	SEIKO Supercede Internal Free-Form™	X	X	X	X, P		X, Z	X	X	X	X, Z	X		X
	SEIKO Supercede Ws Internal	X	X	X	X, P		X, Z	X	X	X	X, Z	X		X
	SEIKO Pentax® Perfas™ Prime	X	X	X	X, P		X, Z	X	X	X	X, Z	X		X
	SEIKO Pentax Perfas Premier	X	X	X	X, P		X, Z	X	X	X	X, Z	X		X
	SEIKO Pentax Perfas Premier Wide	X	X	X	X, P		X, Z	X	X	X	X, Z	X		X
	SEIKO Pentax Perfas Prestige										@, Z			X
SHAMIR	Autograph®	X	X	X	X, P		X, Z	X	X	X	X, Z	X		
	Autograph II	X	X	X	X, P		X, Z	X	X	X	X, Z	X		
	Autograph II Attitude™	X	X	X	X, P		X, Z	X	X	X	X, Z	X		X
	Autograph II Office™	X					X		X					
	Autograph SHORT™	X	X	X	X, P		X, Z	X	X	X	X, Z	X		
	element™ 16	X	X	X	X, P		X, Z	X	X	X	X	X		X
	element™ 19	X	X	X	X, P		X, Z	X	X	X	X	X		
SIGNET ARMORLITE	KODAK Unique	X	X	X	X, P, Z	X, C, P	X, Z	X	X, Z	X	X, Z	X		X

X - INDICATES AVAILABILITY  
C - INDICATES CLEAR

P - INDICATES PHOTOCHROMIC  
Z - INDICATES POLARIZED

@ - ONLY AVAILABLE WITH FACTORY ANTI-REFLECTIVE LENS TREATMENT  
(1) DISTRIBUTED BY DIGITAL EYELAB

# FREE-FORM PROGRESSIVE LENS AVAILABILITY

MFR.	BRAND	MIN. FIT HEIGHT	FREE-FORM DESIGN	LENS MATERIAL	POWER RANGE		COMBINED POWER LIMIT	ADD	COMMENTS	
					SPHERE	CYLINDER				
CARL ZEISS VISION	AO Easy HD, SOLAOne HD	18mm	back	1.67 clear & Transitions®	+8.00	-12.00D -4.00D		+0.75 to +3.50D	Standard fitting measurements: Monocular PD, Monocular Seg Heights	
		18mm	back	poly clear & Transitions	+6.00	-9.00D -4.00D		+0.75 to +3.50D		
		18mm	back	poly polarized gray & brown	+5.50	-9.00D -4.00D		+0.75 to +3.50D		
		18mm	back	poly polarized copper & green	+5.50	-5.75D -4.00D		+0.75 to +3.50D		
		18mm	back	hard resin clear	+5.50	-9.00D -4.00D		+0.75 to +3.50D		
		18mm	back	hard resin Transitions	+4.50	-9.00D -4.00D		+0.75 to +3.50D		
	Compact ULTRA HD, SOLA HDV	13mm	back	1.67 clear & Transitions	+8.00	-12.00D -4.00D		+0.75 to +3.50D		
		13mm	back	poly clear & Transitions	+6.00	-9.00D -4.00D		+0.75 to +3.50D		
		13mm	back	poly polarized gray & brown	+5.50	-9.00D -4.00D		+0.75 to +3.50D		
		13mm	back	poly polarized copper & green	+5.50	-5.75D -4.00D		+0.75 to +3.50D		
		13mm	back	hard resin clear	+5.50	-9.00D -4.00D		+0.75 to +3.50D		
		13mm	back	hard resin Transitions	+4.50	-9.00D -4.00D		+0.75 to +3.50D		
	Zeiss GT2 3D	17mm	back	1.67 clear & Transitions	+6.00	-10.00D -4.00D		+0.75 to +3.50D		
		17mm	back	Poly clear & Transitions	+6.00	-10.00D -4.00D		+0.75 to +3.50D		
		17mm	back	hard resin clear	+5.00	-6.00D -4.00D		+0.75 to +3.50D		
		17mm	back	hard resin Transitions	+5.00	-6.00D -4.00D		+0.75 to +3.50D		
	Zeiss GT2 3D Short	13mm	back	1.67 clear & Transitions	+6.00	-10.00D -4.00D		+0.75 to +3.50D		
		13mm	back	poly clear & Transitions	+6.00	-10.00D -4.00D		+0.75 to +3.50D		
		13mm	back	hard resin clear	+5.00	-6.00D -4.00D		+0.75 to +3.50D		
		13mm	back	hard resin Transitions	+5.00	-6.00D -4.00D		+0.75 to +3.50D		
	Zeiss GT2 3DV	13mm	back	1.67 clear & Transitions	+6.00	-10.00D -4.00D		+0.75 to +3.50D		
		13mm	back	poly clear & Transitions	+6.00	-10.00D -4.00D		+0.75 to +3.50D		
		13mm	back	hard resin clear	+5.00	-6.00D -4.00D		+0.75 to +3.50D		
		13mm	back	hard resin Transitions	+5.00	-6.00D -4.00D		+0.75 to +3.50D		
	Zeiss Individual	13mm	back	1.67 clear & Transitions	+6.00	-10.00D -4.00D		+0.75 to +3.50D		Standard fitting info. acceptable but additional specifications as vertex distance, frame wrap, and panto angle using the i.Terminal will result in a more exact lens calc.
		13mm	back	Poly clear & Transitions	+6.00	-10.00D -4.00D		+0.75 to +3.50D		
		13mm	back	hard resin clear	+5.00	-6.00D -4.00D		+0.75 to +3.50D		
		13mm	back	hard resin Transitions	+5.00	-6.00D -4.00D		+0.75 to +3.50D		
ESSILOR	Accolade Freedom	15mm	PAL front, power back	1.50, Transitions	+6.00	-9.00D -4.00D		+0.75 to +3.50D		
		15mm	PAL front, power back	Trivex®, Transitions	+6.00	-10.00D -4.00D		+0.75 to +3.50D		
		15mm	PAL front, power back, 1.60	Airwear®, Transitions, Xperio™, Trivex, 1.60	+6.00	-10.00D -4.00D		+0.75 to +3.50D		
		15mm	PAL front, power back	1.67, Transitions, 1.74	+8.00	-12.00D -4.00D		+0.75 to +3.50D		
	DEFINITY	18mm	add split, Rx back surface	1.50 clear & Transitions	+6.00	-10.00D -4.00D		+1.00 to +3.00D	4.00D available	
		18mm	add split, Rx back surface	1.50 Xperio	+4.00	-10.00D -4.00D		+1.00 to +3.00D		
		18mm	add split, Rx back surface	Trivex clear & Transitions	+6.00	-10.00D -4.00D		+1.00 to +3.50D		
		18mm	add split, Rx back surface	Airwear clear & Transitions	+4.00	-7.00D -4.00D		+1.00 to +3.00D		
		18mm	add split, Rx back surface	DEFINITY FAIRWAY SOLFX®/Airwear	+4.00	-7.00D -4.00D		+1.00 to +3.00D		
		18mm	add split, Rx back surface	Airwear Xperio	+4.00	-7.00D -4.00D		+1.00 to +3.00D		
		18mm	add split, Rx back surface	1.60	+8.00	-12.00D -4.00D		+1.00 to +3.00D		
		18mm	add split, Rx back surface	1.67 clear & Transitions	+10.00	-12.00D -4.00D		+1.00 to +3.50D		
	DEFINITY Short	15mm	add split, Rx back surface	1.50 clear & Transitions	+6.00	-10.00D -4.00D		+1.00 to +3.00D	4.00D available	
		15mm	add split, Rx back surface	1.50 Xperio	+4.00	-10.00D -4.00D		+1.00 to +3.00D		
		15mm	add split, Rx back surface	Trivex clear & Transitions	+6.00	-10.00D -4.00D		+1.00 to +3.50D		
		15mm	add split, Rx back surface	Airwear clear & Transitions	+4.00	-7.00D -4.00D		+1.00 to +3.00D		
		15mm	add split, Rx back surface	DEFINITY FAIRWAY SOLFX®/Poly	+4.00	-7.00D -4.00D		+1.00 to +3.00D		
		15mm	add split, Rx back surface	Airwear Xperio	+4.00	-7.00D -4.00D		+1.00 to +3.00D		
		15mm	add split, Rx back surface	1.60	+8.00	-12.00D -4.00D		+1.00 to +3.00D		
		15mm	add split, Rx back surface	1.67 clear & Transitions	+10.00	-12.00D -4.00D		+1.00 to +3.50D		
	Ideal	17mm	full back side (FBS)	1.50 clear & Transitions	+6.00	-8.00D -6.00D		+0.75 to +3.50D		
		17mm	full back side (FBS)	1.50 Xperio	+6.00	-4.00D -4.00D		+0.75 to +3.50D		
		17mm	full back side (FBS)	Airwear clear & Transitions	+6.00	-10.00D -6.00D		+0.75 to +3.50D		
		17mm	full back side (FBS)	Airwear Xperio	+8.00	-10.00D -6.00D		+0.75 to +3.50D		

MFR.	BRAND	MIN. FIT HEIGHT	FREE-FORM DESIGN	LENS MATERIAL	POWER RANGE		COMBINED POWER LIMIT	ADD	COMMENTS	
					SPHERE	CYLINDER				
ESSILOR	Ideal Advanced	17mm	full back side (FBS)	1.60 clear & Transitions	+6.00	to -10.00D	-6.00D	+0.75	to +3.50D	
		17mm	full back side (FBS)	1.67 clear & Transitions	+8.00	to -12.00D	-6.00D	+0.75	to +3.50D	
		17mm	full back side (FBS)	1.50 clear & Transitions	+6.00	to -8.00D	-6.00D	+0.75	to +3.50D	
		17mm	full back side (FBS)	1.50 Xperio	+6.00	to -4.00D	-4.00D	+0.75	to +3.50D	
		17mm	full back side (FBS)	Airwear clear & Transitions	+6.00	to -10.00D	-6.00D	+0.75	to +3.50D	
		17mm	full back side (FBS)	Airwear Xperio	+8.00	to -10.00D	-6.00D	+0.75	to +3.50D	
		17mm	full back side (FBS)	1.60 clear & Transitions	+6.00	to -10.00D	-6.00D	+0.75	to +3.50D	
	Ideal Advanced Wrap	17mm	full back side (FBS)	1.67 clear & Transitions	+6.00	to -10.00D	-6.00D	+0.75	to +3.50D	
		17mm	full back side (FBS)	1.50	+3.00	to -3.50D	-3.00D	+0.75	to +3.00D	
		17mm	full back side (FBS)	1.50 Transitions	+3.00	to -4.00D	-4.00D	+0.75	to +3.50D	
		17mm	full back side (FBS)	1.50 Xperio	+3.00	to -4.00D	-3.50D	+0.75	to +3.00D	
		17mm	full back side (FBS)	Airwear, Transitions, Xperio	+3.00	to -4.00D	-4.00D	+0.75	to +3.00D	
	Ideal Short	17mm	full back side (FBS)	1.67 clear & Transitions	+3.00	to -5.00D	-4.00D	+0.75	to +3.50D	
		14mm	full back side (FBS)	1.50 clear & Transitions	+6.00	to -8.00D	-6.00D	+0.75	to +3.00D	
		14mm	full back side (FBS)	1.50 Xperio	+6.00	to -4.00D	-4.00D	+0.75	to +3.00D	
		14mm	full back side (FBS)	Airwear clear & Transitions	+6.00	to -10.00D	-6.00D	+0.75	to +3.00D	
		14mm	full back side (FBS)	Airwear Xperio	+8.00	to -10.00D	-6.00D	+0.75	to +3.00D	
		14mm	full back side (FBS)	1.60 clear & Transitions	+6.00	to -10.00D	-6.00D	+0.75	to +3.00D	
	Varilux Comfort 360°	14mm	full back side (FBS)	1.67 clear & Transitions	+6.00	to -10.00D	-6.00D	+0.75	to +3.00D	
		18mm	PAL front, power back	1.50, Transitions	+7.00	to -9.00D	-6.00D	+0.75	to +3.50D	
		18mm	PAL front, power back	1.50, Xperio	+6.00	to -9.00D	-6.00D	+1.00	to +3.00D	
		18mm	PAL front, power back	Airwear Transitions	+6.00	to -9.00D	-6.00D	+0.75	to +3.00D	
		18mm	PAL front, power back	Xperio	+6.00	to -10.00D	-6.00D	+0.75	to +3.00D	
		18mm	PAL front, power back	1.60, Transitions	+8.00	to -12.00D	-6.00D	+0.75	to +3.50D	
	Varilux Ellipse 360°	18mm	PAL front, power back	1.67, Transitions	+8.00	to -12.00D	-6.00D	+0.75	to +3.50D	
		13mm	PAL front, power back	1.50, Transitions	+6.00	to -10.00D	-6.00D	+0.75	to +3.00D	
		13mm	PAL front, power back	Airwear, Transitions, Xperio	+6.00	to -10.00D	-6.00D	+0.75	to +3.00D	
		13mm	PAL front, power back	1.60, Transitions	+8.00	to -12.00D	-6.00D	+0.75	to +3.00D	
		13mm	PAL front, power back	1.67, Transitions	+8.00	to -12.00D	-6.00D	+0.75	to +3.00D	
		13mm	PAL front, power back	1.74	+13.00	to -14.00D	-6.00D	+0.75	to +3.00D	
	Varilux Ipseo IV	14mm	personalized dynamic split/behavioral	1.50, Transitions	+6.00	to -10.00D	-6.00D	+0.75	to +3.50D	
		14mm	personalized dynamic split/behavioral	Airwear, Transitions	+6.00	to -10.00D	-6.00D	+0.75	to +3.50D	
		14mm	personalized dynamic split/behavioral	1.67, Transitions	+9.00	to -12.00D	-6.00D	+0.75	to +3.50D	
		14mm	personalized dynamic split/behavioral	1.74	+9.00	to -14.00D	-6.00D	+0.75	to +3.50D	
	Varilux Physio 360°	17mm	PAL front, power back	1.50, Transitions	+6.00	to -10.00D	-6.00D	+0.75	to +3.50D	4.00D available Requires fitting using the Varilux Vision Print System for detailed head/eye movements.
		17mm	PAL front, power back	1.50, Xperio	+6.00	to -10.00D	-6.00D	+0.75	to +3.50D	
		17mm	PAL front, power back	Airwear Xperio	+6.00	to -10.00D	-6.00D	+0.75	to +3.50D	
		17mm	PAL front, power back	Airwear, Transitions	+6.00	to -10.00D	-6.00D	+0.75	to +3.50D	
		17mm	PAL front, power back	1.60, Transitions	+8.00	to -12.00D	-6.00D	+0.75	to +3.50D	
		17mm	PAL front, power back	1.67, Transitions	+9.00	to -12.00D	-6.00D	+0.75	to +3.50D	
		17mm	PAL front, power back	1.74	+13.00	to -18.00D	-6.00D	+0.75	to +3.50D	
	Varilux Physio Enhanced	14mm	PAL front, power back	1.50, Transitions, Xperio	+6.00	to -10.00D	-6.00D	+0.75	to +3.50D	
		14mm	PAL front, power back	Trivex, Transitions	+6.00	to -10.00D	-6.00D	+0.75	to +3.50D	
		14mm	PAL front, power back	Airwear, Transitions, XTRActive™, Xperio	+6.00	to -10.00D	-6.00D	+0.75	to +3.50D	
		14mm	PAL front, power back	1.60, Transitions	+8.00	to -12.00D	-6.00D	+0.75	to +3.50D	
		14mm	PAL front, power back	1.67, Transitions	+9.00	to -12.00D	-6.00D	+0.75	to +3.50D	
		14mm	PAL front, power back	1.74, Transitions	+13.00	to -18.00D	-6.00D	+0.75	to +3.50D	
	Varilux Physio Short 360°	14mm	PAL front, power back	1.50, Transitions	+6.00	to -10.00D	-6.00D	+0.75	to +4.00D	Requires fitting using the Varilux Vision Print System for detailed head/eye movements.
14mm		PAL front, power back	1.50, Xperio	+6.00	to -10.00D	-6.00D	+0.75	to +4.00D		
14mm		PAL front, power back	Airwear, Transitions	+6.00	to -10.00D	-6.00D	+0.75	to +3.00D		
14mm		PAL front, power back	Airwear, Transitions, Xperio	+6.00	to -10.00D	-6.00D	+0.75	to +4.00D		
14mm		PAL front, power back	1.60, Transitions	+8.00	to -12.00D	-6.00D	+0.75	to +4.00D		
14mm		PAL front, power back	1.67, Transitions	+9.00	to -12.00D	-6.00D	+0.75	to +3.00D		
14mm		PAL front, power back	1.74	+13.00	to -18.00D	-6.00D	+0.75	to +4.00D		
Varilux Sport			Airwear Xperio	+6.00	to -8.00D	-4.00D	+0.75	to +3.50D		
HOYA	HOYALUX ID	14mm	integrated double surface (surfaced front and back)	Phoenix™	+6.00	to -8.00D	-4.00D	+0.75	to +3.50D	
		14mm	integrated double surface (surfaced front and back)	Phoenix photochromic	+6.00	to -8.00D	-4.00D	+0.75	to +3.50D	
		14mm	integrated double surface (surfaced front and back)	1.60	+8.00	to -10.00D		+0.75	to +3.50D	
		14mm	integrated double surface (surfaced front and back)	1.60 photochromic	+6.00	to -10.00D		+0.75	to +3.50D	

MFR.	BRAND	MIN. FIT HEIGHT	FREE-FORM DESIGN	LENS MATERIAL	POWER RANGE		COMBINED POWER LIMIT	ADD	COMMENTS	
					SPHERE	CYLINDER				
HOYA	HOYALUX iD Lifestyle	14mm	integrated double surface (surfaced front and back)	1.67, 1.70	+8.00 to -13.00D	-6.00D		+0.75 to +3.50D		
		14mm	integrated double surface (surfaced front and back)	1.67 photochromic	+6.00 to -10.00D	-4.00D		+1.00 to +3.00D		
		18mm	integrated double surface (surfaced on back)	1.50	+6.00 to -8.00D	-4.00D		+0.75 to +3.50D		
		18mm	integrated double surface (surfaced on back)	1.50 Transitions	+6.00 to -8.00D	-4.00D		+0.75 to +3.50D		
		18mm	integrated double surface (surfaced on back)	Phoenix, Transitions	+6.00 to -8.00D	-4.00D		+0.75 to +3.50D		
		18mm	integrated double surface (surfaced on back)	Poly	+6.00 to -6.00D	-4.00D		+1.00 to +3.00D		
		18mm	integrated double surface (surfaced on back)	1.60	+8.00 to -10.00D	-4.00D		+0.75 to +3.50D		
		18mm	integrated double surface (surfaced on back)	1.60 Transitions	+6.00 to -10.00D	-4.00D		+0.75 to +3.50D		
		18mm	integrated double surface (surfaced on back)	1.67	+8.00 to -10.00D	-4.00D		+0.75 to +3.50D		
	18mm	integrated double surface (surfaced on back)	1.67 Transitions	+8.00 to -10.00D	-4.00D		+1.00 to +3.00D			
	HOYALUX iD Lifestyle CD	14mm	integrated double surface (surfaced on back)	1.50 Transitions	+6.00 to -8.00D	-4.00D		+0.75 to +3.50D		
		14mm	integrated double surface (surfaced on back)	Phoenix, Transitions	+6.00 to -8.00D	-4.00D		+0.75 to +3.50D		
		14mm	integrated double surface (surfaced on back)	poly	+6.00 to -6.00D	-4.00D		+1.00 to +3.00D		
		14mm	integrated double surface (surfaced on back)	1.60	+8.00 to -10.00D	-4.00D		+0.75 to +3.50D		
		14mm	integrated double surface (surfaced on back)	1.60 Transitions	+6.00 to -10.00D	-4.00D		+0.75 to +3.00D		
		14mm	integrated double surface (surfaced on back)	1.67	+8.00 to -10.00D	-4.00D		+0.75 to +3.50D		
	HOYALUX Summit ecp iQ	14mm	integrated double surface (surfaced on back)	1.67 Transitions	+8.00 to -10.00D	-4.00D		+1.00 to +3.00D		
		14mm	integrated double surface (surfaced on back)	1.50	+6.00 to -10.00D	-4.00D		+0.75 to +4.00D		
		14mm	integrated double surface (surfaced on back)	1.50 polarized	+3.00 to -6.00D	-4.00D		+1.00 to +3.00D		
		14mm	integrated double surface (surfaced on back)	1.50 Transitions	+6.00 to -10.00D	-4.00D		+1.00 to +3.50D		
		14mm	integrated double surface (surfaced on back)	Phoenix	+6.00 to -10.00D	-4.00D		+0.75 to +4.00D		
		14mm	integrated double surface (surfaced on back)	Phoenix Transitions	+6.00 to -10.00D	-4.00D		+1.00 to +3.00D		
		14mm	integrated double surface (surfaced on back)	1.67	+8.00 to -13.00D	-4.00D		+0.50 to +4.00D		
		14mm	integrated double surface (surfaced on back)	1.67 Transitions	+8.00 to -13.00D	-4.00D		+0.75 to +4.00D		
	ILT	Architect (Pro Fit Optix)	N/A	regressive back	1.67	+5.50 to -10.50D	-4.00D	-10.50D	+0.75, +1.25, +1.75	
		Bravo (Pro Fit Optix)	15mm	PAL front, free-form back	1.50	+6.00 to -8.00D	-4.00D	-8.00D	+1.00 to +3.00D	
			15mm	PAL front, free-form back	1.60	+6.00 to -10.00D	-4.00D	-10.00D	+1.00 to +3.00D	
			15mm	PAL front, free-form back	1.67	+5.50 to -10.50D	-4.00D	-10.50D	+1.00 to +3.00D	
15mm			PAL front, free-form back	1.50 SunActives Hybrid	+6.00 to -8.00D	-4.00D	-8.00D	+1.00 to +3.00D		
15mm			PAL front, free-form back	1.60 SunActives Hybrid	+5.50 to -10.50D	-4.00D	-10.50D	+1.00 to +3.00D		
15mm			PAL front, free-form back	1.50 Transitions VI	+4.00 to -7.50D	-4.00D	-7.50D	+1.00 to +3.00D		
15mm			PAL front, free-form back	1.67 Transitions VI	+5.50 to -10.50D	-4.00D	-10.50D	+1.00 to +3.00D		
15mm			PAL front, free-form back	1.50 PolarView polarized	+6.00 to -8.00D	-4.00D	-8.00D	+1.00 to +3.00D		
15mm			PAL front, free-form back	1.50 Explorer photochromic/polarized	+6.00 to -8.00D	-4.00D	-8.00D	+1.00 to +3.00D		
Calligraphy (Pro Fit Optix)		19mm	back	1.50	+6.00 to -8.00D	-4.00D	-8.00D	+1.00 to +4.00D		
		19mm	back	1.60	+6.00 to -10.00D	-4.00D	-10.00D	+1.00 to +4.00D		
		17mm	back	1.67	+5.50 to -10.50D	-4.00D	-10.50D	+1.00 to +4.00D		
		17mm	back	1.50 SunActives Hybrid	+6.00 to -8.00D	-4.00D	-8.00D	+1.00 to +4.00D		
		14mm	back	1.60 SunActives Hybrid	+6.00 to -10.00D	-4.00D	-10.00D	+1.00 to +4.00D		
		14mm	back	1.50 Transitions VI	+4.00 to -7.50D	-4.00D	-7.50D	+1.00 to +4.00D		
		14mm	back	1.67 Transitions VI	+5.50 to -10.50D	-4.00D	-10.50D	+1.00 to +4.00D		
		14mm	back	1.50 PolarView polarized	+2.00 to -5.00D	-4.00D	-7.00D	+1.00 to +4.00D		
Kidz (Pro Fit Optix)		14mm	back	1.50 Explorer photochromic/polarized	+2.00 to -5.00D	-4.00D	-7.00D	+1.00 to +4.00D		
		13mm	back	1.67	+5.50 to -10.50D	-4.00D	-10.50D	+1.00, +1.50, +2.00		
	13mm	back	1.60 SunActives Hybrid	+6.00 to -10.00D	-4.00D	-10.00D	+1.00, +1.50, +2.00			
	13mm	back	1.50 Transitions VI	+7.50 to -8.00D	-4.00D	-8.00D	+1.00, +1.50, +2.00			
INDO	EyeMADE	16mm	back	1.523	+6.00 to -6.00D	-4.00D		+0.75 to +3.50D		
		16mm	back	1.60	+7.00 to -12.00D	-4.00D		+0.75 to +3.50D		
		16mm	back	1.67	+6.00 to -13.00D	-4.00D		+0.75 to +3.50D		
	LifeMADE Inicia	16, 20mm	back	1.50, Trivex	+6.00 to -6.00D	-4.00D		+0.75 to +3.50D		
		16, 20mm	back	poly	+6.00 to -10.00D	-4.00D		+0.75 to +3.50D		
		16, 20mm	back	1.60	+7.00 to -12.00D	-4.00D		+0.75 to +3.50D		
	LifeMADE Expert	16, 20mm	back	1.67	+8.00 to -13.00D	-4.00D		+0.75 to +3.50D		
		16, 22mm	back	1.50, Trivex	+6.00 to -6.00D	-4.00D		+0.75 to +3.50D		
		16, 22mm	back	poly	+6.00 to -10.00D	-4.00D		+0.75 to +3.50D		
		16, 22mm	back	1.60	+7.00 to -12.00D	-4.00D		+0.75 to +3.50D		
		16, 22mm	back	1.67	+8.00 to -13.00D	-4.00D		+0.75 to +3.50D		
		16, 22mm	back	1.67	+8.00 to -13.00D	-4.00D		+0.75 to +3.50D		

MFR.	BRAND	MIN. FIT HEIGHT	FREE-FORM DESIGN	LENS MATERIAL	POWER RANGE		COMBINED POWER LIMIT	ADD	COMMENTS
					SPHERE	CYLINDER			
INDO	LifeMADE Drive	16, 22mm	back	1.67	+8.00 to -13.00D	-4.00D		+0.75 to +3.50D	
		19mm	back	1.50, Trivex	+6.00 to -6.00D	-4.00D		+0.75 to +3.50D	
		19mm	back	poly	+6.00 to -10.00D	-4.00D		+0.75 to +3.50D	
		19mm	back	1.60	+7.00 to -12.00D	-4.00D		+0.75 to +3.50D	
		19mm	back	1.67	+8.00 to -13.00D	-4.00D		+0.75 to +3.50D	
	LifeMADE Work	18mm	back	1.50, Trivex	+6.00 to -6.00D	-4.00D		+0.75 to +3.50D	
		18mm	back	poly	+6.00 to -10.00D	-4.00D		+0.75 to +3.50D	
		18mm	back	1.60	+7.00 to -12.00D	-4.00D		+0.75 to +3.50D	
		18mm	back	1.67	+8.00 to -13.00D	-4.00D		+0.75 to +3.50D	
		19mm	back	1.50, Trivex	+6.00 to -6.00D	-4.00D		+0.75 to +3.50D	
	LifeMADE Golf, Trekking, Shooting	19mm	back	poly	+6.00 to -10.00D	-4.00D		+0.75 to +3.50D	
		19mm	back	1.60	+7.00 to -12.00D	-4.00D		+0.75 to +3.50D	
		19mm	back	1.67	+8.00 to -13.00D	-4.00D		+0.75 to +3.50D	
		19mm	back	1.67	+8.00 to -13.00D	-4.00D		+0.75 to +3.50D	
	LifeMADE Metrics Indicia	16, 20mm	back	1.50, Trivex	+6.00 to -6.00D	-4.00D		+0.75 to +3.50D	
		16, 20mm	back	poly	+6.00 to -10.00D	-4.00D		+0.75 to +3.50D	
		16, 20mm	back	1.60	+7.00 to -12.00D	-4.00D		+0.75 to +3.50D	
		16, 20mm	back	1.67	+8.00 to -13.00D	-4.00D		+0.75 to +3.50D	
	LifeMADE Metrics Expert	16, 22mm	back	1.50, Trivex	+6.00 to -6.00D	-4.00D		+0.75 to +3.50D	
		16, 22mm	back	poly	+6.00 to -10.00D	-4.00D		+0.75 to +3.50D	
16, 22mm		back	1.60	+7.00 to -12.00D	-4.00D		+0.75 to +3.50D		
16, 22mm		back	1.67	+8.00 to -13.00D	-4.00D		+0.75 to +3.50D		
KAENON POLARIZED	SR-91 Freestyle Progressive	19mm	back	SR-91	+3.00 to -5.00D	-4.00D		+3.50D	
		19mm	back	SR-91	+4.00 to -3.00D	-4.00D		+3.50D	
OPHTHONIX	iZon ML High Res Progressives	16mm	back	1.60 clear & sun	+6.00 to -10.00D	-6.00D	-12.00D	+0.75 to +3.50D	
	iZon SL High Res Progressives	16mm	back	1.60 clear & Transitions; poly clear, Transitions & polarized	+6.00 to -10.00D	-6.00D	-12.00D	+0.75 to +3.50D	
OPTIXX	Identity Standard (Pro Fit Optix)	9mm	back	1.50	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
		9mm	back	1.50 NuPolar®	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
		9mm	back	1.50 Transitions	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
		9mm	back	1.50 Drivewear®	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
		9mm	back	Trivex	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
		9mm	back	Trivex Transitions	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
		9mm	back	poly	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
		9mm	back	poly polarized	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
		9mm	back	poly photochromic	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
		9mm	back	1.60	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
		9mm	back	1.60 polarized	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
		9mm	back	1.60 Transitions	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
		9mm	back	1.67	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
		9mm	back	1.67 polarized	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
		9mm	back	1.67 Transitions	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
		9mm	back	1.74	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
		Identity Outdoor (Pro Fit Optix)	9mm	back	1.50	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D
	9mm		back	1.50 NuPolar	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
	9mm		back	1.50 Transitions	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
	9mm		back	1.50 Drivewear	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
	9mm		back	Trivex	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
	9mm		back	Trivex Transitions	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
	9mm		back	poly	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
	9mm		back	poly polarized	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
	9mm		back	poly photochromic	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
	9mm		back	1.60	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
	9mm		back	1.60 polarized	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D	
	9mm	back	1.60 Transitions	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D		
9mm	back	1.67	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D			
9mm	back	1.67 polarized	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D			
9mm	back	1.67 Transitions	+6.50 to -9.00D	+4.00D		+0.50 to +4.00D			

MFR.	BRAND	MIN. FIT HEIGHT	FREE-FORM DESIGN	LENS MATERIAL	POWER RANGE			COMBINED POWER LIMIT	ADD	COMMENTS
					SPHERE	CYLINDER				
OPTIXX	Identity Office (Pro Fit Optix)	9mm	back	1.74	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
		9mm	back	1.50	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
		9mm	back	1.50 NuPolar	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
		9mm	back	1.50 Transitions	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
		9mm	back	1.50 Drivewear	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
		9mm	back	Trivex	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
		9mm	back	Trivex Transitions	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
		9mm	back	poly	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
		9mm	back	poly polarized	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
		9mm	back	poly photochromic	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
		9mm	back	1.60	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
		9mm	back	1.60 polarized	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
		9mm	back	1.60 Transitions	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
		9mm	back	1.67	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
		9mm	back	1.67 polarized	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
		9mm	back	1.67 Transitions	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
		9mm	back	1.74	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
		Identity Office Plus (Pro Fit Optix)	9mm	regressive back	1.50	+6.50	to -9.00D	+4.00D		+0.50
	9mm		regressive back	1.50 NuPolar	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
	9mm		regressive back	1.50 Transitions	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
	9mm		regressive back	1.50 Drivewear	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
	9mm		regressive back	Trivex	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
	9mm		regressive back	Trivex Transitions	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
	9mm		regressive back	poly	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
	9mm		regressive back	poly polarized	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
	9mm		regressive back	poly photochromic	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
	9mm		regressive back	1.60	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
	9mm		regressive back	1.60 polarized	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D
9mm	regressive back		1.60 Transitions	+6.50	to -9.00D	+4.00D		+0.50	to +4.00D	
PRO FIT OPTIX	Acuity (Private Label)	16mm (s), 18mm (eh)	back	1.50	+5.00	to -6.00D	-4.00D		+0.50	to +3.50D
		16mm (s), 18mm (eh)	back	1.50 polarized	+5.00	to -6.00D	-4.00D		+0.50	to +3.50D
		16mm (s), 18mm (eh)	back	1.50 Transitions VI	+5.00	to -6.00D	-4.00D		+0.50	to +3.50D
		16mm (s), 18mm (eh)	back	1.59 poly	+5.00	to -6.00D	-4.00D		+0.50	to +3.50D
		16mm (s), 18mm (eh)	back	1.59 poly LifeRx® gray and brown	+5.00	to -6.00D	-4.00D		+0.50	to +3.50D
		16mm (s), 18mm (eh)	back	1.59 poly polarized gray and brown	+5.00	to -6.00D	-4.00D		+0.50	to +3.50D
		16mm (s), 18mm (eh)	back	1.60	+5.00	to -6.00D	-4.00D		+0.50	to +3.50D
		16mm (s), 18mm (eh)	back	1.60 Transitions VI	+5.00	to -6.00D	-4.00D		+0.50	to +3.50D
		16mm (s), 18mm (eh)	back	1.67	+5.00	to -6.00D	-4.00D		+0.50	to +3.50D
		16mm (s), 18mm (eh)	back	1.67 Transitions VI	+5.00	to -6.00D	-4.00D		+0.50	to +3.50D
		16mm (s), 18mm (eh)	back	1.74	+9.00	to -8.75D	-4.00D		+0.50	to +3.50D
		RODENSTOCK	Multigressiv My View (Pro Fit Optix)	14mm	back	1.50	+8.00	to -8.00D	+4.00D	
14mm	back			1.54 ColorMatic® gray or brown	+8.00	to -8.00D	+4.00D		+0.75	to +3.50D
14mm	back			1.54 ColorMatic Contrast	+8.00	to -10.00D	+4.00D		+0.75	to +3.50D
14mm	back			1.60	+8.00	to -10.00D	+4.00D		+0.75	to +3.50D
14mm	back			1.60 ColorMatic gray or brown	+8.00	to -10.00D	+4.00D		+0.75	to +3.50D
14mm	back			1.67	+8.00	to -10.00D	+6.00D		+0.75	to +3.50D
14mm	back			1.60 ColorMatic gray or brown	+8.00	to -10.00D	+6.00D		+0.75	to +3.50D
14mm	back			1.74	+8.00	to -10.00D	+4.00D		+0.75	to +3.50D
Impression (Pro Fit Optix)	18mm		back	1.50	+8.00	to -10.00D	+4.00D		+0.75	to +3.50D
	18mm		back	1.60	+8.00	to -10.00D	+4.00D		+0.75	to +3.50D
	18mm		back	1.60 ColorMatic	+8.00	to -10.00D	+4.00D		+0.75	to +3.50D
	18mm		back	1.67	+8.00	to -10.00D	+4.00D		+0.75	to +3.50D
	18mm		back	1.74	+8.00	to -10.00D	+4.00D		+0.75	to +3.50D
	18mm		back	1.74	+8.00	to -10.00D	+4.00D		+0.75	to +3.50D

MFR.	BRAND	MIN. FIT HEIGHT	FREE-FORM DESIGN	LENS MATERIAL	POWER RANGE		COMBINED POWER LIMIT	ADD	COMMENTS
					SPHERE	CYLINDER			
RODENSTOCK	Impression XS (Pro Fit Optix)	14mm	back	1.50	+8.00	-10.00D +4.00D		+0.75	+3.00D
		14mm	back	1.60	+8.00	-10.00D +4.00D		+0.75	+3.00D
		14mm	back	1.60 ColorMatic	+8.00	-10.00D +4.00D		+0.75	+3.00D
		14mm	back	1.67	+8.00	-10.00D +4.00D		+0.75	+3.00D
		14mm	back	1.74	+8.00	-10.00D +4.00D		+0.75	+3.00D
	Impression Sport (Pro Fit Optix)	18mm	back	1.60	+8.00	-8.00D +4.00D		+1.00	+2.50D
	Impression 40 (Pro Fit Optix)	18mm	back	1.50	+8.00	-8.00D +4.00D			
	Impression 80 (Pro Fit Optix)	18mm	back	1.50	+8.00	-8.00D +4.00D			
	Impression Hyperop, Impression Myope (Pro Fit Optix)	18mm	back	1.60	+13.00	-17.00D +4.00D		+0.75	+3.00D
		18mm	back	1.60 ColorMatic	+13.00	-17.00D +4.00D		+0.75	+3.00D
		18mm	back	1.67	+13.00	-17.00D +4.00D		+0.75	+3.00D
		18mm	back	1.67 ColorMatic	+13.00	-17.00D +4.00D		+0.75	+3.00D
	Impression Hyperop XS, Impression Myope XS (Pro Fit Optix)	14mm	back	1.60	+13.00	-17.00D +4.00D		+0.75	+3.00D
		14mm	back	1.60 ColorMatic	+13.00	-17.00D +4.00D		+0.75	+3.00D
14mm		back	1.67	+13.00	-17.00D +4.00D		+0.75	+3.00D	
14mm		back	1.67 ColorMatic	+13.00	-17.00D +4.00D		+0.75	+3.00D	
SEIKO/PENTAX	SEIKO Succeed Internal	17mm	back	1.50, Transitions, polar	+4.00	-5.00D -4.00D	-7.00D	+0.50	+3.50D
		17mm	back	Trivex, Transitions	+5.00	-7.00D -4.00D	-8.50D	+0.50	+3.50D
		17mm	back	poly, Transitions, polar	+5.00	-7.00D -4.00D	-8.50D	+0.50	+3.50D
		17mm	back	1.60, Transitions	+6.50	-8.50D -4.00D	-8.50D	+0.50	+3.50D
		17mm	back	1.67, Transitions, polar	+6.50	-10.50D -4.00D	-10.50D	+0.50	+3.50D
		17mm	back	1.74	+6.00	-12.50D -4.00D	-12.50D	+0.50	+3.50D
	SEIKO Succeed Ws Internal	15mm	back	1.50, Transitions, polar	+4.00	-5.00D -4.00D	-7.00D	+0.50	+3.50D
		15mm	back	Trivex, Transitions					
		15mm	back	poly polarized, Transitions	+5.00	-7.00D -4.00D	-8.50D	+0.50	+3.50D
		15mm	back	1.60, Transitions	+6.50	-8.50D -4.00D	-8.50D	+0.50	+3.50D
		15mm	back	1.67, Transitions, polar	+6.50	-10.50D -4.00D	-10.50D	+0.50	+3.50D
		15mm	back	1.74	+6.00	-12.50D -4.00D	-12.50D	+0.50	+3.50D
	SEIKO Pentax Perfas Premier	12mm	back	1.50, Transitions, polar	+4.00	-5.00D -4.00D	-7.00D	+0.50	+3.50D
		12mm	back	Trivex, Transitions	+5.00	-7.00D -4.00D			
		12mm	back	poly Polarized, Transitions	+5.00	-7.00D -4.00D	-8.50D	+0.50	+3.50D
		12mm	back	1.60, Transitions	+6.50	-8.50D -4.00D	-8.50D	+0.50	+3.50D
		12mm	back	1.67, Transitions, polar	+6.50	-10.50D -4.00D	-10.50D	+0.50	+3.50D
		12mm	back	1.74	+6.00	-12.50D -4.00D	-12.50D	+0.50	+3.50D
	SEIKO Pentax Perfas Premier Wide	12mm	back	1.50, Transitions, polar	+4.00	-5.00D -4.00D	-7.00D	+0.50	+3.50D
		12mm	back	poly polarized, Trivex, Trivex Transitions	+5.00	-7.00D -4.00D	-8.50D	+0.50	+3.50D
		12mm	back	1.60, Transitions	+6.50	-8.50D -4.00D	-8.50D	+0.50	+3.50D
		12mm	back	1.67, Transitions, polar	+6.50	-10.50D -4.00D	-10.50D	+0.50	+3.50D
		12mm	back	1.74	+6.00	-12.50D -4.00D	-12.50D	+0.50	+3.50D
		12mm	back	1.74	+6.00	-12.50D -4.00D	-12.50D	+0.50	+3.50D
	SEIKO Supercede Internal	12mm	back	1.50, Transitions, polar	+4.00	-5.00D -4.00D	-7.00D	+0.50	+3.50D
		12mm	back	poly polarized, Trivex, Trivex Transitions	+5.00	-7.00D -4.00D	-8.50D	+0.50	+3.50D
		12mm	back	1.60, Transitions	+6.50	-8.50D -4.00D	-8.50D	+0.50	+3.50D
		12mm	back	1.67, Transitions, polar	+6.50	-10.50D -4.00D	-10.50D	+0.50	+3.50D
		12mm	back	1.74	+6.00	-12.50D -4.00D	-12.50D	+0.50	+3.50D
		12mm	back	1.74	+6.00	-12.50D -4.00D	-12.50D	+0.50	+3.50D
	SEIKO Supercede Ws Internal	12mm	back	1.50, Transitions, polar	+4.00	-5.00D -4.00D	-7.00D	+0.50	+3.50D
		12mm	back	poly polarized, Trivex, Trivex Transitions	+5.00	-7.00D -4.00D	-8.50D	+0.50	+3.50D
		12mm	back	1.60, Transitions	+6.50	-8.50D -4.00D	-8.50D	+0.50	+3.50D
		12mm	back	1.67, Transitions, polar	+6.50	-10.50D -4.00D	-10.50D	+0.50	+3.50D
		12mm	back	1.74	+6.00	-12.50D -4.00D	-12.50D	+0.50	+3.50D
		12mm	back	1.74	+6.00	-12.50D -4.00D	-12.50D	+0.50	+3.50D
	SEIKO Pentax Perfas Prestige	12mm	back	1.67	+6.00	-10.00D -5.00D	-10.00D	+0.50	+3.50D
		12mm	back	1.74	+6.00	-12.50D -4.00D	-12.50D	+0.50	+3.50D
	SEIKO Pentax Perfas Prime	14mm	back	1.50, Transitions, polar	+4.00	-5.00D -4.00D	-7.00D	+0.50	+3.50D
		14mm	back	poly polarized, Trivex, Trivex Transitions	+5.00	-7.00D -4.00D	-8.50D	+0.50	+3.50D
		14mm	back	1.60, Transitions	+6.50	-8.50D -4.00D	-8.50D	+0.50	+3.50D
		14mm	back	1.67, Transitions, polar	+6.50	-10.50D -4.00D	-10.50D	+0.50	+3.50D
14mm		back	1.74	+6.00	-12.50D -4.00D	-12.50D	+0.50	+3.50D	

MFR.	BRAND	MIN. FIT HEIGHT	FREE-FORM DESIGN	LENS MATERIAL	POWER RANGE		COMBINED POWER LIMIT	ADD	COMMENTS
					SPHERE	CYLINDER			
SHAMIR	Autograph	19mm	back	1.50, Transitions, polar	+4.00	-7.00D -4.00D		+0.75	to +3.50D
		19mm	back	poly, Transitions, polar	+6.00	to -10.00D -4.00D		+0.75	to +3.50D
		19mm	back	1.60, Transitions	+6.00	to -10.00D -4.00D		+0.75	to +3.50D
		19mm	back	1.67, Transitions, polar	+8.00	to -12.50D -4.00D		+0.75	to +3.50D
		19mm	back	Trivex, Transitions	+6.00	to -13.25D -4.00D		+0.75	to +3.50D
	Autograph II	11mm	back	1.50, Transitions, polar	+6.00	to -12.25D -4.00D		+0.75	to +3.50D
		11mm	back	poly, Transitions, polar	+6.50	to -14.75D -4.00D		+0.75	to +3.50D
		11mm	back	1.60, Transitions	+6.00	to -15.00D -4.00D		+0.75	to +3.50D
		11mm	back	1.67, Transitions, polar	+8.25	to -16.75D -4.00D		+0.75	to +3.50D
		11mm	back	Trivex, Transitions	+6.00	to -13.25D -4.00D		+0.75	to +3.50D
		11mm	back	1.74	+15.50	to -18.75D -4.00D		+0.75	to +3.50D
	Autograph II Attitude	15mm	back	1.50, Transitions, polar; Trivex, Transitions	+4.00	to -5.00D -4.00D		+0.75	to +3.50D
		15mm	back	1.60, Transitions; poly, Transitions, polar	+5.25	to -5.50D -4.00D		+0.75	to +3.50D
		15mm	back	1.67, Transitions, polar	+5.00	to -6.00D -4.00D		+0.75	to +3.50D
		18mm	back	1.50, Transitions, polar; Trivex, Transitions	+4.00	to -5.00D -4.00D		+0.75	to +3.50D
		18mm	back	1.60, Transitions; poly, Transitions, polar	+6.00	to -5.50D -4.00D		+0.75	to +3.50D
		18mm	back	1.67, Transitions, polar	+6.00	to -6.00D -4.00D		+0.75	to +3.50D
	Autograph II Office	16mm	back	1.50	+6.00	to -6.00D		+0.75	to +2.25D
		16mm	back	Poly, 1.60	+8.00	to -6.00D		+0.75	to +2.25D
	Autograph Short	16mm	back	1.50, Transitions, polar	+4.00	to -7.00D -4.00D		+0.75	to +3.50D
		16mm	back	poly, Transitions, polar	+6.00	to -10.00D -4.00D		+0.75	to +3.50D
		16mm	back	1.60, Transitions	+6.00	to -10.00D -4.00D		+0.75	to +3.50D
		16mm	back	1.67, Transitions, polar	+8.00	to -12.50D -4.00D		+0.75	to +3.50D
		16mm	back	Trivex, Transitions	+6.00	to -13.25D -4.00D		+0.75	to +3.50D
		16mm	back	1.74	+13.50	to -18.00D -4.00D		+0.75	to +3.50D
	element 16	16mm	back	1.50, Transitions, polar	+4.00	to -7.00D -4.00D		+0.75	to +3.50D
		16mm	back	poly, Transitions, polar	+6.00	to -10.00D -4.00D		+0.75	to +3.50D
		16mm	back	1.60 Transitions	+6.00	to -10.00D -4.00D		+0.75	to +3.50D
		16mm	back	1.67, Transitions	+8.00	to -12.50D -4.00D		+0.75	to +3.50D
		16mm	back	Trivex, Transitions	+6.00	to -13.25D -4.00D		+0.75	to +3.50D
	element 19	19mm	back	1.50, Transitions, polar	+4.00	to -7.00D -4.00D		+0.75	to +3.50D
		19mm	back	poly, Transitions, polar	+6.00	to -10.00D -4.00D		+0.75	to +3.50D
		19mm	back	1.60 Transitions	+6.00	to -10.00D -4.00D		+0.75	to +3.50D
		19mm	back	1.67, Transitions	+8.00	to -12.50D -4.00D		+0.75	to +3.50D
		19mm	back	Trivex, Transitions	+6.00	to -13.25D -4.00D		+0.75	to +3.50D
	SIGNET ARMORLITE	KODAK Unique	13mm	back	1.50	+4.00	to -8.00D -4.00D	-8.00D	+0.75
13mm			back	Transitions 1.50	+4.00	to -8.00D -4.00D	-8.00D	+0.75	to +3.50D
13mm			back	polarized 1.50	+4.00	to -6.75D -4.00D	-6.75D	+0.75	to +3.50D
13mm			back	Trivex	+4.50	to -10.00D -4.00D	-10.00D	+0.75	to +3.50D
13mm			back	Trivex Transitions	+4.50	to -10.00D -4.00D	-10.00D	+0.75	to +3.50D
13mm			back	1.56	+5.00	to -10.00D -4.00D	-10.00D	+0.75	to +3.50D
13mm			back	1.56 InstaShades®	+5.00	to -10.00D -4.00D	-10.00D	+0.75	to +3.50D
13mm			back	SunSensors® 1.56	+5.00	to -10.00D -4.00D	-10.00D	+0.75	to +3.50D
13mm			back	InstaShades poly	+5.00	to -10.00D -4.00D	-10.00D	+0.75	to +3.50D
13mm			back	poly polarized	+5.00	to -10.00D -4.00D	-10.00D	+0.75	to +3.50D
13mm			back	1.60	+6.00	to -11.00D -4.00D	-11.00D	+0.75	to +3.50D
13mm			back	1.60 InstaShades	+6.00	to -11.00D -4.00D	-11.00D	+0.75	to +3.50D
13mm			back	1.67	+6.00	to -12.00D -4.00D	-12.00D	+0.75	to +3.50D
13mm			back	1.67 Transitions	+6.00	to -12.00D -4.00D	-12.00D	+0.75	to +3.50D
13mm			back	PolyClear®	+5.00	to -10.00D -4.00D	-10.00D	+0.75	to +3.50D
13mm			back	polarized 1.60	+5.75	to -11.00D -4.00D	-11.00D	+0.75	to +3.50D
13mm			back	polarized 1.67	+7.50	to -12.00D -4.00D	-12.00D	+0.75	to +3.50D
13mm			back	Drivewear standard resin	+4.00	to -8.00D -4.00D	-8.00D	+0.75	to +3.50D
13mm			back	Transitions poly	+5.00	to -10.00D -4.00D	-10.00D	+0.75	to +3.50D
13mm			back	Transitions 1.60	+6.00	to -11.00D -4.00D	-11.00D	+0.75	to +3.50D
13mm	back	LifeRx poly	+5.00	to -10.00D -4.00D	-10.00D	+0.75	to +3.50D		

MFR.	BRAND	MIN. FIT HEIGHT	FREE-FORM DESIGN	LENS MATERIAL	POWER RANGE		COMBINED POWER LIMIT	ADD	COMMENTS
					SPHERE	CYLINDER			
SIGNET ARMORLITE		13mm	back	1.74 high index	+9.00 to	-13.25D -4.00D	-13.25D	+0.75 to +3.50D	
		13mm	back	InstaShades 1.50	+4.00 to	-8.00D -4.00D	-8.00D	+0.75 to +3.50D	
		13mm	back	SunSensors HPC 1.67	+6.00 to	-12.00D -4.00D	-12.00D	+0.75 to +3.50D	
		13mm	back	NXT® photochromic polarized	+5.00 to	-7.00D -4.00D	-7.00D	+0.75 to +3.50D	
		13mm	back	NXT photochromic	+5.00 to	-9.00D -4.00D	-9.00D	+0.75 to +3.50D	
		13mm	back	NXT polarized	+5.00 to	-7.00D -4.00D	-7.00D	+0.75 to +3.50D	
		13mm	back	NXT mirror	+5.00 to	-9.00D -4.00D	-9.00D	+0.75 to +3.50D	
		13mm	back	NXT fixed tint	+5.00 to	-9.00D -4.00D	-9.00D	+0.75 to +3.50D	

**BROUGHT TO YOU BY THE FREE-FORM REVOLUTION SPONSORS.**

